Project:

Järva_tuulikud

Licensed user:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Calculated:
18.03.2024 10:56/4.0.531

VISUAL - Main result

Calculation: Fotomontaa ž _lõuna_18032024



Scale 1:500 000

New WTG Camera

A A-26. Türi-Arkma tee, Kabala küla. Lähima tuuliku kaugus 3988

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	584 303	6 507 200	66,4	Visibility	Normal	IMG_8581.JPG
Target point	584 493	6 507 266	68,3	Sun	Normal	Field of view: 25,8°x17,4° Lens: 76 mm Film: 36x24 mm
Photo dir.	52°			Wind dir.	0°	Photo desc.: A A-26. Türi-Arkma tee, Kabala küla. Lähima tuuliku kaugus 3988

B B-29. Imavere bussipeatus, Viljandi mnt, Imavere. Lähima tuuliku kaugus 1584m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	602 325	6 511 865	71,5	Visibility	Normal	IMG_8584.JPG
Target point	602 118	6 512 003	94,2	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	305°			Wind dir.	0°	Photo desc.: B B-29. Imavere bussipeatus, Viljandi mnt, Imavere. Lähima tuuliku kaugus 1584m

C C-30. Mõmmimäe tee, Imavere lasteaed Mõmmi. Lähima tuuliku kaugus 1720m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	602 556	6 511 978	71,5	Visibility	Normal	IMG_8145.JPG
Target point	602 409	6 512 042	88,0	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	207°			Wind dir.	0°	Photo desc.: C C-30. Mõmmimäe tee, Imavere lasteaed Mõmmi. Lähima tuuliku kaugus 1720m

D D-32. Tallinn-Tartu-Võru-Luhamaa (tee nr 2), Aleksela Tikupolss, Imavere. Lähima tuuliku kaugus 1761m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	602 370	6 513 216	71,5	Visibility	Normal	IMG_8184.JPG
Target point	602 211	6 513 090	93,8	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	222°			Wind dir.	0°	Photo desc.: D D-32. Tallinn-Tartu-Võru-Luhamaa (tee nr 2), Aleksela Tikupolss, Imavere. Lähima tuuliku kaugus 1761m

E E-42. Koigi – Päinurme tee, Päinurme. Lähima tuuliku kaugus 3527m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	611 984	6 520 335	71,5	Visibility	Normal	IMG_8490.JPG
Target point	611 710	6 520 354	77,1	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	276°			Wind dir.	0°	Photo desc.: E E-42. Koigi – Päinurme tee, Päinurme. Lähima tuuliku kaugus 3527m

F F-44. Päinurme rahvamaja. Lähima tuuliku kaugus 3237m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	611 984	6 520 590	71,5	Visibility	Normal	IMG_8549.JPG
Target point	612 084	6 520 601	81,8	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	88°			Wind dir.	0°	Photo desc.: F F-44. Päinurme rahvamaja. Lähima tuuliku kaugus 3237m

G G-45. Koigi-Päinurme tee, Päinurme. Lähima tuuliku kaugus 1848m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	610 199	6 520 440	71,5	Visibility	Normal	IMG_8583.JPG
Target point	609 815	6 520 518	106,0	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	262°			Wind dir.	0°	Photo desc.: G G-45. Koigi-Päinurme tee, Päinurme. Lähima tuuliku kaugus 1848m

H H-46. Tapiku-Kõrkküla, Arisvere. Lähima tuuliku kaugus 3722

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	617 236	6 518 167	77,4	Visibility	Normal	IMG_8601.JPG
Target point	617 116	6 518 315	91,4	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	327°			Wind dir.	0°	Photo desc.: H H-46. Tapiku-Kõrkküla, Arisvere. Lähima tuuliku kaugus 3722

I I-51. Merja linnamäe vaatetorn, Merja. Lähima tuuliku kaugus 3252m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	613 476	6 529 383	95,0	Visibility	Normal	IMG_8790.JPG
Target point	612 551	6 529 134	150,1	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	257°			Wind dir.	0°	Photo desc.: I I-51. Merja linnamäe vaatetorn, Merja. Lähima tuuliku kaugus 3252m

J J-52. Paide linnus, Paide linn. Lähima tuuliku kaugus 15391m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	590 575	6 528 794	65,0	Visibility	Normal	IMG_8920.JPG
Target point	590 818	6 528 659	95,3	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	121°			Wind dir.	0°	Photo desc.: J J-52. Paide linnus, Paide linn. Lähima tuuliku kaugus 15391m

K K-53. Paide linnus, Paide linn. Lähima tuuliku kaugus 18089m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	590 636	6 528 850	65,0	Visibility	Normal	IMG_8943.JPG
Target point	590 871	6 528 853	95,3	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	92°			Wind dir.	0°	Photo desc.: K K-53. Paide linnus, Paide linn. Lähima tuuliku kaugus 18089m

L L-59. Mäeküla-Koeru-Kapu tee, Köisi. Lähima tuuliku kaugus 4317m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	608 398	6 532 757	87,2	Visibility	Normal	IMG_5436.JPG
Target point	608 438	6 532 667	91,0	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	156°			Wind dir.	0°	Photo desc.: L L-59. Mäeküla-Koeru-Kapu tee, Köisi. Lähima tuuliku kaugus 4317m

M M-48. Männik järve raba vaatetorn. Lähima tuuliku kaugus 12556

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	629 602	6 528 464	91,5	Visibility	Normal	IMG_8654.JPG
Target point	629 346	6 528 476	95,5	Sun	Normal	Field of view: 47,9°x68,2° Lens: 27 mm Film: 36x24 mm
Photo dir.	274°			Wind dir.	0°	Photo desc.: M M-48. Männik järve raba vaatetorn. Lähima tuuliku kaugus 12556

N N-24. Oisu-Retla-Rulli tee, Retla. Lähima tuuliku kaugus 7801m

	East	North	Z	Clouds	Clear sky (0/8)	Landscape picture file: 4272 x 2848 pixels
Eye point	592 583	6 512 926	68,2	Visibility	Normal	IMG_8322.JPG
Target point	592 874	6 512 975	76,0	Sun	Normal	Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm
Photo dir.	84°			Wind dir.	0°	Photo desc.: N N-24. Oisu-Retla-Rulli tee, Retla. Lähima tuuliku kaugus 7801m

Project:

Järva_tuulikud

Licensed user:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Calculated:
18.03.2024 10:56/4.0.531

VISUAL - Main result

Calculation: Fotomontaa ž _lõuna_18032024

WTG siting

	WTG type						Distance to camera													
	Valid	Manufact.	Type-generator	Power, rated [kW]	Rotor diameter [m]	Hub height [m]	A [m]	B [m]	C [m]	D [m]	E [m]	F [m]	G [m]	H [m]	I [m]	J [m]	K [m]	L [m]	M [m]	N [m]
1 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 987	17 818	17 618	16 584	7 924	7 700	7 566	12 272	3 605	19 326	19 268	4 984	19 712	22 955
2 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	22 679	14 148	13 934	12 972	4 502	4 338	3 737	9 799	5 887	19 429	19 385	8 716	20 629	20 226
3 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	26 493	18 407	18 210	17 162	8 599	8 372	8 247	12 861	3 665	19 242	19 182	4 319	19 776	23 356
4 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 480	17 245	17 043	16 020	7 320	7 099	6 937	11 780	3 735	19 352	19 296	5 585	19 747	22 539
5 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 962	17 687	17 482	16 470	7 494	7 264	7 217	11 753	3 259	19 750	19 693	5 442	19 315	23 043
6 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 222	14 700	14 487	13 525	4 767	4 581	4 159	9 873	5 348	19 599	19 553	8 288	20 253	20 726
7 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	22 264	13 835	13 627	12 635	4 842	4 702	3 883	10 274	6 331	18 849	18 806	8 687	21 224	19 712
8 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	22 687	14 369	14 166	13 149	5 466	5 311	4 568	10 792	6 009	18 549	18 504	8 006	21 239	19 984
9 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	22 802	14 368	14 159	13 171	4 995	4 831	4 197	10 269	5 801	19 063	19 018	8 281	20 819	20 225
10 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 486	15 086	14 878	13 885	5 449	5 262	4 806	10 504	5 167	19 178	19 130	7 639	20 445	20 829
11 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 541	15 297	15 097	14 067	6 143	5 964	5 406	11 235	5 321	18 567	18 518	7 084	20 895	20 708
12 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 667	15 537	15 341	14 290	6 666	6 489	5 891	11 757	5 422	18 176	18 126	6 655	21 172	20 710
13 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 396	14 787	14 569	13 634	4 429	4 230	3 968	9 431	5 173	20 066	20 021	8 531	19 853	21 003
14 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 243	16 031	15 831	14 799	6 643	6 447	6 029	11 527	4 774	18 718	18 666	6 420	20 560	21 339
15 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 152	16 853	16 648	15 638	6 844	6 625	6 461	11 367	3 822	19 465	19 411	6 062	19 706	22 296
16 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 588	17 233	17 025	16 030	6 907	6 676	6 645	11 220	3 320	19 913	19 858	6 024	19 226	22 776
17 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 560	17 099	16 886	15 917	6 446	6 210	6 288	10 656	3 126	20 370	20 317	6 536	18 837	22 874
18 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 674	17 118	16 900	15 958	6 126	5 881	6 099	10 165	2 906	20 871	20 818	6 965	18 391	23 102
19 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 229	16 549	16 326	15 422	5 248	4 999	5 325	9 306	3 375	21 264	21 213	7 863	18 227	22 845
20 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 878	16 300	16 082	15 144	5 457	5 222	5 320	9 822	3 686	20 590	20 539	7 493	18 861	22 372
21 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 136	15 811	15 606	14 598	6 111	5 911	5 558	10 973	4 654	19 134	19 083	6 888	20 249	21 361
22 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 882	16 504	16 296	15 304	6 339	6 119	5 978	10 895	3 890	19 680	19 628	6 567	19 587	22 129
23 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 195	15 753	15 543	14 563	5 641	5 431	5 202	10 414	4 445	19 652	19 603	7 291	19 821	21 550
24 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 117	16 606	16 392	15 435	5 923	5 689	5 745	10 260	3 487	20 384	20 332	7 023	18 945	22 512
25 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 374	15 806	15 589	14 646	5 176	4 952	4 918	9 779	4 191	20 303	20 255	7 731	19 262	21 877
26 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 728	15 188	14 973	14 019	4 929	4 725	4 481	9 828	4 840	19 892	19 845	8 016	19 824	21 229
27 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 005	15 339	15 118	14 203	4 481	4 258	4 272	9 169	4 589	20 607	20 561	8 425	19 202	21 658
28 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	23 373	14 671	14 448	13 544	3 944	3 737	3 608	8 909	5 254	20 506	20 462	8 979	19 577	21 110
29 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	24 614	15 954	15 732	14 819	4 900	4 663	4 826	9 294	3 974	20 863	20 815	8 058	18 759	22 230
30 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 746	17 056	16 832	15 932	5 599	5 344	5 776	9 382	2 872	21 580	21 528	7 701	17 806	23 353
31 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	27 897	18 817	18 573	17 860	6 092	5 844	7 223	7 077	3 991	25 414	25 363	10 611	14 280	26 146
32 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	28 493	19 383	19 137	18 446	6 619	6 379	7 825	7 058	4 348	26 087	26 036	11 035	13 583	26 806
33 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	27 857	18 717	18 470	17 802	5 937	5 703	7 212	6 371	4 772	25 967	25 918	11 385	14 001	26 272
34 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	28 886	19 710	19 461	18 825	6 932	6 712	8 288	6 490	5 355	27 061	27 011	12 055	12 849	27 390
35 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	28 424	19 219	18 968	18 364	6 475	6 268	7 912	5 761	5 863	27 148	27 100	12 532	13 115	27 055
36 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	28 977	19 771	19 519	18 918	7 028	6 821	8 460	6 096	5 947	27 543	27 494	12 647	12 580	27 599
37 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	28 764	19 539	19 286	18 709	6 843	6 648	8 328	5 633	6 336	27 700	27 652	13 024	12 675	27 479
38 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	28 073	18 839	18 586	18 022	6 180	5 994	7 705	5 017	6 507	27 389	27 342	13 136	13 300	26 852
39 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	27 218	18 030	17 780	17 157	5 262	5 049	6 674	5 388	5 612	26 120	26 074	12 116	14 354	25 815
40 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	26 501	17 288	17 036	16 444	4 571	4 377	6 077	4 665	6 229	26 020	25 976	12 583	14 926	25 226
41 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	26 066	16 876	16 626	16 006	4 112	3 903	5 560	4 935	5 962	25 431	25 388	12 185	15 443	24 711
42 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 325	16 127	15 876	15 265	3 378	3 178	4 876	4 679	6 373	25 078	25 036	12 378	16 128	24 024
43 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 867	16 643	16 390	15 813	3 972	3 794	5 535	4 274	6 626	25 792	25 750	12 825	15 499	24 662
44 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 254	16 023	15 770	15 204	3 404	3 243	5 016	4 033	6 992	25 535	25 495	13 025	16 073	24 107
45 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	25 583	16 337	16 084	15 542	3 809	3 662	5 447	3 724	7 200	26 003	25 963	13 345	15 698	24 505
46 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	19 445	11 030	10 828	9 813	4 924	4 934	3 277	10 667	9 123	18 036	18 004	11 052	23 384	17 083
47 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	19 893	11 297	11 084	10 126	4 119	4 124	2 499	9 869	8 688	18 827	18 795	11 122	22 653	17 712
48 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	19 453	10 911	10 702	9 723	4 477	4 500	2 808	10 207	9 117	18 507	18 477	11 345	23 124	17 239
49 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	18 875	10 373	10 167	9 172	4 847	4 896	3 141	10 530	9 691	18 245	18 217	11 753	23 668	16 664
50 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	19 503	10 817	10 600	9 670	3 930	3 971	2 235	9 636	9 124	19 097	19 067	11 706	22 795	17 471
51 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	19 796	11 043	10 822	9 919	3 534	3 571	1 851	9 253	8 882	19 465	19 434	11 693	22 410	17 834
52 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	19 101	10 439	10 223	9 282	4 215	4 275	2 501	9 878	9 515	18 903	18 874	11 965	23 182	17 070
53 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	18 630	10 029	9 818	8 852	4 663	4 736	2 946	10 279	9 961	18 569	18 542	12 201	23 689	16 562
54 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	18 139	9 506	9 294	8 334	4 867	4 965	3 164	10 379	10 469	18 604	18 579	12 704	24 048	16 158
55 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	16 071	8 389	8 238	7 056	8 026	8 117	6 317	13 494	12 666	15 882	15 866	13 423	27 038	13 396
56 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	15 192	7 825	7 696	6 475	8 930	9 033	7 232	14 313	13 629	15 413	15 401	14 158	28 015	12 411
57 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	15 509	7 851	7 705	6 513	8 324	8 430	6 630	13 699	13 198	15 939	15 926	13 984	27 451	12 903
58 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	15 793	7 311	7 116	6 079	6 847	6 995	5 248	11 946	12 790	17 927	17 913	14 538	26 247	13 908
59 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	16 423	7 944	7 747	6 718	6 383	6 516	4 742	11 626	12 154	17 920	17 903	13 942	25 722	14 449
60 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	16 397	7 775	7 569	6 585	6 157	6 305	4 561	11 293	12 224	18 367	18 351	14 221	25 561	14 592
61 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	16 150	7 416	7 203	6 260	6 187	6 352	4 655	11 163	12 533	18 727	18 712	14 670	25 639	14 517
62 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	10 806	3 505	3 460	2 233	11 574	11 760	10 113	16 002	17 758	17 376	17 386	18 793	31 043	9 228
63 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	9 857	2 476	2 481	1 391	12 268	12 468	10 884	16 418	18 730	18 175	18 189	19 921	31 701	8 833
64 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	9 211	2 045	2 116	1 338	12 836	13 041	11 487	16 844	19 404	18 561	18 578	20 631	32 237	8 506
65 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	8 759	1 586	1 722	1 391	13 217	13 429	11 915	17 055	19 931	19 110	19 129	21 262	32 565	8 477
66 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	8 298	1 389	1 600	1 763	13 658	13 877	12 398	17 343	20 489	19 616	19 636	21 898	32 949	8 436
67 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	8 105	2 074	2 261	2 097	13 896	14 106	12 576	17 761	20 528	18 947	18 969	21 713	33 260	7 817
68 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	6 055	4 045	4 280	4 337	16 089	16 294	14 728	20 001	22 510	18 683	18 715	23 291	35 484	5 833
69 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	5 361	4 518	4 765	4 938	16 745	16 952	15 397	20 586	23 203	19 015	19 049	23 971	36 121	5 557
70 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	4 947	4 635	4 888	5 196	17 063	17 275	15 746	20 786	23 629	19 544	19 579	24 486	36 397	5 759
71 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	4 756	4 584	4 842	5 305	17 200	17 418	15 927	20 768	23 914	20 202	20 237	24 921	36 468	6 257
72 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	4 438	4 839	5 096	5 672	17 553	17 775	16 313	20 994	24 368	20 772	20 808	25 465	36 760	6 575
73 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	3 994	5 320	5 578	6 067	17 962	18 180	16 690	21 499	24 666	20 453	20 491	25 612	37 221	6 007
74 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	4 170	5 293	5 550	5 934	17 817	18 031	16 513	21 472	24 411	19 930	19 968	25 245	37 129	5 591
75 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	4 626	5 336	5 585	5 776	17 569	17 775	16 210	21 423	23 961	19 027	19 065	24 601	36 954	4 945
76 New	Yes	VESTAS	V172-7.2-7 200	7 200	180,0	180,0	5 188	5 104	5 345	5 420	17 130	17 332	15 746	21 084	23 434	18 542	18 579	24 016	36 543	4 889

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 11:23:01
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 594 303 North: 6 507 200
Wind direction: 0° Direction of photo: 53°
Software: windPRO version 4.0.531
Photo desc.: A A-26. Türi-Arkma tee, Kabala küla. Lähima tuuliku kaugus 3988

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 11:49:18
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 602 325 North: 6 511 865
Wind direction: 0° Direction of photo: 305°
Software: windPRO version 4.0.531
Photo desc.: B B-29. Imavere bussipeatus, Viljandi mnt, Imavere. Lähima tuuliku kaugus 1584m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 11:57:43
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 602 556 North: 6 511 978
Wind direction: 0° Direction of photo: 307°
Software: windPRO version 4.0.531
Photo desc.: C C-30. Mõmmimäe tee, Imavere lasteaed Mõmmi. Lähima tuuliku kaugus 1720m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 12:06:15
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 602 370 North: 6 513 216
Wind direction: 0° Direction of photo: 233°
Software: windPRO version 4.0.531
Photo desc.: D D-32. Tallinn-Tartu-Võru-Luhamaa (tee nr 2), Alexela Tikupoiss, Imavere. Lähima tuuliku kaugus 1761m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 14:13:11
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 611 904 North: 6 520 335
Wind direction: 0° Direction of photo: 279°
Software: windPRO version 4.0.531
Photo desc.: E E-42. Koigi – Päinurme tee, Päinurme. Lähima tuuliku kaugus 3527m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 14:26:03
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 611 984 North: 6 520 590
Wind direction: 0° Direction of photo: 86°
Software: windPRO version 4.0.531
Photo desc.: F F-44. Päinurme rahvamaja. Lähima tuuliku kaugus 3237m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 14:32:39
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 610 189 North: 6 520 440
Wind direction: 0° Direction of photo: 283°
Software: windPRO version 4.0.531
Photo desc.: G G-45. Koigi-Päinurme tee, Päinurme. Lähima tuuliku kaugus 1848m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 14:44:58
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 617 236 North: 6 518 167
Wind direction: 0° Direction of photo: 327°
Software: windPRO version 4.0.531
Photo desc.: H H-46. Tapiku-Kõrkküla, Arisvere. Lähima tuuliku kaugus 3722

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 18:03:51
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 613 476 North: 6 528 383
Wind direction: 0° Direction of photo: 257°
Software: windPRO version 4.0.531
Photo desc.: I I-51. Merja linnamäe vaatetorn, Merja. Lähima tuuliku kaugus 3252m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 25.09.2023 09:58:55
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 590 575 North: 6 528 794
Wind direction: 0° Direction of photo: 121°
Software: windPRO version 4.0.531
Photo desc.: J J-52. Paide linnus, Paide linn. Lähima tuuliku kaugus 15391m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 25.09.2023 10:08:56
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 590 636 North: 6 528 856
Wind direction: 0° Direction of photo: 92°
Software: windPRO version 4.0.531
Photo desc.: K K-53. Paide linnus, Paide linn. Lähima tuuliku kaugus 18089m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 25.09.2023 11:45:30
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 608 392 North: 6 532 757
Wind direction: 0° Direction of photo: 156°
Software: windPRO version 4.0.531
Photo desc.: L L-59. Mäeküla-Koeru-Kapu tee, Köisi. Lähima tuuliku kaugus 4317m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 17 cm
Photo exposed: 12.09.2023 16:22:05
Field of view: 67,9°x48,3° Lens: 27 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 629 602 North: 6 528 464
Wind direction: 0° Direction of photo: 274°
Software: windPRO version 4.0.531
Photo desc.: M M-48. Männik järve raba vaatetorn. Lähima tuuliku kaugus 12556

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee

Project:
Järva_tuulikud

Recommended observation distance: 50 cm
Photo exposed: 12.09.2023 11:10:59
Field of view: 25,8°x17,4° Lens: 79 mm Film: 36x24 mm Pixels: 4272x2848
Eye point: Estonian Lambert L-EST97-EST97 (EE) East: 592 563 North: 6 512 935
Wind direction: 0° Direction of photo: 84°
Software: windPRO version 4.0.531
Photo desc.: N N-24. Oisu-Retla-Rulli tee, Retla. Lähima tuuliku kaugus 7801m

Created by:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee



0 2,5 5 7,5 10km

Map: EMD OpenStreetMap , Print scale 1:250 000, Map center Estonian Lambert L-EST97-EST97 (EE) East: 610 089 North: 6 519 978

New WTG Camera

Project:
Järva_tuulikud

VISUAL - Map
Calculation:
Fotomontaa ž _lõuna_18032024

Licensed user:
Lemma OÜ
Värvi 5 - A308
EE-10621 Tallinn
+3725059914
Piret Toonpere / piret@lemma.ee
Calculated:
18.03.2024 10:56/4.0.531